

Amendments to the Drawings:

The attached sheets of drawings include substitute formal drawings. These sheets, which include(s) Fig(s). 1-14, replaces the original sheet(s) including Fig(s).1-14.

Attachment: Replacement Sheet(s)



FIG. 2



NewArchitect Workbench - [NewDrugStore]

File Edit View Insert Project Multi User Construct Import Window Help

Entity Services Attributes Agents Process Agents Documents Messages Data Gen Data Entry Experience Gen Object Gen Test Cockpit

☐ To be Deleted ☐ Class Attribute

Attribute List

☒ User ☐ System ☐ Rollups ☐ Sort

	Attribute Name
1	Customer
2	OrderItems
3	OrderDate
4	SubTotal
5	ShippingCharge
6	Taxes
7	OrderTotal
8	PrescriptionOrder
9	ShippingAddress
10	ShippingMode
11	NameOnShipLabel
12	OrderStatus
13	OrderNumber
14	OrderStatusString
15	Payment
16	BillingAddress
17	Shipping
18	StateVar

BeautyProduct
Category
HealthProduct
PersonalCareP
Product
ProductRelatio
SalesOrder
SalesOrderite
Shipping
Site
WellnessProdu
Customer
notused
ExtCategory
New
NewApplication

Payment

Name
Caption
Description
To Do
Help

Attribute Methods
DB Name
StateVar
Business Rules

Data Type ☐ Basic ☐ Enum ☒ Class 333
CustomerPayment
Parent Entity
Relationship
Event Channel
Current

Properties

Required ☐ Read Only ☐ Owns ☒ Public ☐ Nested ☐
Process State ☐ Non-Persistent ☐ Multi-Value ☐
Keys: Density ☐ Unique Key ☐ Indexed ☐ Cluster ☐
Options: User Selecting ☐ User Identifying ☐ Primary Key ☐ Not in Archive ☐ Not in Audit Trail ☐ Not in Template ☐
Presentation: Group ☐ Entry Control Type ☐ Edit ☐ Control Style ☐ View Control Type ☐ Edit ☐ Control Style ☐ User Invisible ☐
Buttons: New Delete Up Down
SalesOrder

Ready

NUM 2:02 PM

VisualSourceS TrialDocument DBTool-Micro... New Architect

FIG. 3



NewArchitect Workbench - (NewDrugStore)

File Edit View Insert Project Multi User Construct Import Window Help

Entity Services Attributes Agents Process Agents Documents Messages Data Gen Data Entry Experience Gen Object Gen Test Cockpit

Attribute List

☐ To be Deleted ☐ Class Attribute

☒ User ☐ System ☐ Rollups

Attribute Name

T	Attribute Name
1	R Customer
2	M OrderItems
3	B OrderDate
4	B SubTotal
5	B ShippingCharge
6	B Tax
7	B OrderTotal
8	B PrescriptionOrder
9	S ShippingAddress
10	E ShippingMode
11	B NameOnShipLabel
12	B OrderStatus
13	B OrderNumber
14	B OrderStatusString
15	S Payment
16	S BillingAddress
17	S Shipping
18	E State/Var

45

43

41

Business Rules

Attribute Methods

Taxes

DB Name

Taxes

Name

Caption

Description

To Do

Help

Data Type

☐ Basic ☐ Enum ☐ Class

Money

Size

15

Precision

2

Formal

Rollup Summary

☐ Sum ☐ Mean ☐ Max ☐ Min

Properties

Required

☐ Read Only

Process State

☐ Owns

Non-Persistent

☐ Public

Multi-Value

☐ Nested

Keys

Density

☐ Unique Key

Indexed

Cluster

Options

☐ Not in Archive

☐ Not in Audit Trail

☐ Not in Template

Presentation

Group

Entry Control Type

Edit

View Control Type

Edit

Buttons

Buttons Icons

User Invisble

NUM

11:43 PM

Ready

Start

Exploring App...

OBTool Micro...


VisualSourceS

TrialDocument

DBTool-Micro...

New Architect

FIG. 4






FIG. 6



+

Flow Chart of Generation




FIG. 8

+




FIG. 9



Properties

Form Object Space Data Security Parameters Form Themes Meta tags Technology

☐ Final ☒ View only ☐ Secure Page ☐ Check for required fields

☐ Report ☐ Center ☒ Has data access

Name: Insertcuts

Directory expression:

Name: Customer

Title:

Theme: Current

Style: BaseControls

Control style: BaseControls

HTML style:

HTML template:

Description:

To do:

Script OnLoad:

Script Client:

View

Data Access: Enter Only

Data binding: Auto (Same as Parent)

View name:

Use transactions:

OK

Properties

1017 1019 1011 1015 1013

FIG. 10



1011

Properties

Form | Object Space | Data Security | Parameters | Form Themes | Meta tags | Technology

☐ Relire ☒ Final ☐ View only ☐ Secure Page ☐ Check for required fields

☐ Report ☐ Center ☒ Has data access

Name: Insertouts

Directory expression: Customer

Name: Customer

Title: Current

Theme: BaseControls

Style: BaseControls

Control style: HTML style:

HTML template: Description:

To do:

Script OnLoad

Script Client

1015

1017

View

Data Access: Enter Only

Data binding: Auto (Same as Parent)

View name: Auto (Same as Parent)

Dynamic

Static

Use transactions:

OK

Properties

FIG. 10a





FIG. 11




5. Associate the data controls with the attributes.

1311

Control Properties

Control Display View Expressions Events Buddy Control HTML

Style: 

☐ Mouse effects
☐ 3D font
☐ Set 3D
 Highlight color:
 Shadow:




☐ Has Shape
 Shape:

☐ Generate Image
 Format:

☐ Generate Image
☐ Image Processing

Fill and border
 Fill: Type: Solid Color: Background
 Border: Type: None
 Shadow: Type: None
 Back image: ☐ Center ☐ Tile ☐ Stretch

Text display
☒ Custom ☐ Theme
 Font face: Arial Size: 10 Offset: 0 Weight: NORMAL Alignment: Left Color: Custom Color
☐ Relative ☐ Italic ☐ Underline ☐ Strikethrough ☐ Small caps
☐ Blink ☐ Superscript ☐ Subscript ☐ Oblique

Link display
 Link color:  Visited link color:  Active link color: 

1313

Control Properties

OK Cancel

FIG. 13



1411

Generate HTML

Output directory: E:\applications\search20\

Generate only this document: displayorderi

Type of data binding

☐ Optimized: Static and dynamic as marked

☒ Dynamic only: Ignore markings

☐ Static only: Ignore markings

Object details

☒ Stored procedures

☐ SQL statements

☐ Compile stored procedures

Type of data binding

Gen	Browser	Directory
1	<input checked="" type="checkbox"/> Microsoft IE5	
2	<input type="checkbox"/> Microsoft IE4	
3	<input type="checkbox"/> Netscape 4	
4	<input type="checkbox"/> Netscape 3	NS3\

Object details

☐ Generate style sheets

1415

1413

1417

Generate

Cancel

FIG. 14